

**From:** [Joe Ball](#)  
**To:** [Christen Willis](#)  
**Subject:** FW: 11-24-2012 AM Report  
**Date:** Thursday, November 29, 2012 2:51:59 PM  
**Attachments:** [Bayou Corne Checklist for DNR Personnel 11-24-2012AM Report..xlsx](#)  
[Sinkhole morn. of 11-24-2012.bmp](#)  
[Tx Brine vent well #1 morn. of 11-24-2012.bmp](#)

---

**From:** Kevin Sonnier  
**Sent:** Saturday, November 24, 2012 11:59 AM  
**To:** Greg France; Patrick Courreges; Sarah Hitchcock; Stephen Chustz (DNR); Blake Canfield; Brent Campbell; Bret Barras; Chris Knotts; Donald Haydel; Gary Ross; Gary Snellgrove; Jeffery Miller; Jim Welsh; Joe Ball; Kathy McGillis; Matt Simon; Pierre Catrou; Robert Benoit (DNR); Selma Oubre; William Carnes; chris.knotts; ferrell.brunet@shawgrp.com  
**Cc:** johnboudreaux@assumptionoep.com; Sarah Hitchcock  
**Subject:** 11-24-2012 AM Report

Calm morning at sinkhole, no skimming activities. Lost approx. 4 trees off east side of sinkhole. Tx Brine plans on starting installing 6 geoprobes in neighborhoods, also begin installing casing for geophone on Oxy Geismar #3 location. Oxy 3-A SITP 127psi, SICP 840psi. Tx Brine Vent Well #1 flare went out at 9:20Pm, S/I until further notice, cannot obtain SITP, Gas Vol. 11.89mcf. Tx Brine Vent Well #2 S/I 24hrs. cannot obtain SITP. ORW #1 SITP 10psi. ORW #2 [FTP 47psi](#), Gas Vol. 50mcf, at 11:00 lowered choke from 12/64 to 11/64 due to press. drop. After choke adj. press. rose to 47psi. ORW #3 SITP 0psi, spot checked for H2S, no H2S, SFL @ 6.04'. ORW #4 SITP 10psi. Labarre Water Well, no H2S and no LEL.

---

**CONFIDENTIALITY NOTICE**

This email communication may contain confidential information which also may be legally privileged and is intended only for the use of the intended recipients identified above. If you are not the intended recipient of this communication, you are hereby notified that any unauthorized review, use, dissemination, distribution, downloading, or copying of this communication is strictly prohibited. If you are not the intended recipient and have received this communication in error, please immediately notify us by reply email, delete the communication and destroy all copies.